

Introduction to ML

Mooly Sagiv

Cornell CS 3110 Data Structures and Functional Programming

The ML Programming Language

- General purpose programming language designed by Robin Milner in 1970
 - Meta Language for verification
- Impure Functional Programming Language
 - Eager call by value evaluation
- Static strongly typed (like Java unlike C)
 - Protect its abstraction via type checking and runtime checking
- Polymorphic Type Inference
- Dialects: OCaml, Standard ML, F#

C is not Type Safe

```
int j;  
union { int i, int * p } x;  
x.i = 17 ;  
j = *(x.p);
```

```
int i, *p;  
i = 17  
p = (int *) i;
```

Factorial in ML

```
let rec fac n = if n = 0 then 1 else n * fac (n - 1)
```

```
// val fac : int -> int = <fun>
```

```
let rec fac n : int = if n = 0 then 1 else n * fac (n - 1)
```

```
let rec fac = function  
  | 0 -> 1  
  | n -> n * fac(n - 1)
```

```
let fac n =  
  let rec ifac n acc =  
    if n=0 then acc else ifac n-1, n * acc  
  in ifac n, 1
```

Why Study ML?

- Functional programming will make you think differently about programming
 - Mainstream languages are all about state
 - Functional programming is all about values
- ML is “cutting edge”
 - Polymorphic Type inference
 - References
 - Module system
- Practical (small) Programming Language
- New ideas can help make you a better programmer, in any language

Plan

- Basic Programming in ML
- Type Inference for ML
- ML Modules & References

Simple Types

- Booleans

```
true  -: bool = true
false -: bool = false
if ... then ... else ... types must match
```

- Integers

```
0, 1, 2, ... -: int = 0, 1, ...
+, * ,      -: int * int -> int
```

- Strings

“I am a string” -: string = “I am a string”

- Floats

```
1.0, 2., 3.14159, ... :- float = 1, 2, 3.14159
```

Tuples

```
4, 5, "abc" :- (int*int*string)=(4, 5, "abc")
```

```
let max1 (r1, r2) : float =  
  if r1 < r2 then r2 else r1  
val max1: float * float -> float = fun
```

```
let args = (3.5, 4.5)  
val args: float * float = (3.5, 4.5)
```

```
max1 args  
:- float = 4.5
```

```
let y(x1: t1, x2: t2, ..., xn: tn) = e
```


Pattern-Matching Tuples

```
let x1: t1, x2: t2, ..., xn: tn = e
```

```
let max1 (pair : float * float) : float =  
  let (r1, r2) = pair in  
  if r1 < r2 then r2 else r1  
val max1: float * float -> float = fun
```

```
let minmax (a, b) : float * float =  
  if a < b then (a, b) else (b, a)  
val minmax: float * float -> float * float = fun
```

```
let (mn, mx) = minmax (2.0, 1.0)  
val mn float 1  
val mx float 2
```

The compiler guarantees the absence of runtime errors

User-Defined Types

```
type day = Sun | Mon | Tue | Wed | Thu | Fri | Sat
```

```
let int_to_day (i : int) : day =  
  match i mod 7 with  
  | 0 -> Sun  
  | 1 -> Mon  
  | 2 -> Tue  
  | 3 -> Wed  
  | 4 -> Thu  
  | 5 -> Fri  
  | _ -> Sat
```

Records

```
type person = {first:string; last:string; age:int}
```

```
{first="John"; last="Amstrong"; age=77}  
:- person = {first="John"; last="Amstrong"; age=77}
```

```
{first="John"; last="Amstrong"; age=77}.age  
:- int = 77
```

```
let ja = {first="John"; last="Amstrong"; age=77}  
val ja : person = {first="John"; last="Amstrong"; age=77}
```

```
let = {first=first; last=last} = ja  
val first:string="John"  
val last:string="Amstrong"
```

Variant Records

- Provides a way to declare Algebraic data types

```
type expression = Number of int | Plus of expression * expression
```

```
let rec eval_exp (e : expression) : int =  
  match e with  
  | Number(n) -> n  
  | Plus (left, right) -> eval_exp(left) + eval_exp(right)  
val eval_exp : expression -> int = <fun>
```

```
eval_exp (Plus(Plus(Number(2), Number(3)), Number(5)))  
:- int = 10
```

Variant Records in C

```
struct exp {  
    int tag ; /* Select between cases */  
    union {  
        struct number { int : number; }  
        struct plus { struct exp *left, *right; }  
    }  
}
```

Scope

- Local nested scopes
- Let constructs introduce a scope

```
let f x = e1 in e2
```

```
let x = 2  
and y = 3  
in x + y
```

```
let rec even x = x = 0 || odd (x-1)  
      and odd x = not (x = 0 || not (even (x-1)))  
in  
  odd 3110
```

Polymorphism

- A Polymorphic expression may have many types
- There is a “most general type”
- The compiler infers types automatically
- Programmers can restrict the types
- Pros:
 - Code reuse
 - Guarantee consistency
- Cons:
 - Compile-time
 - Some limits on programming

```
let max1 (r1, r2) =  
  if r1 < r2 then r2 else r1  
val max1: 'a * 'a -> 'a = fun
```

```
max1 (5, 7)  
: - int = 7
```

```
max1 (5, 7.5)
```

Polymorphic Lists

```
[ ]  
- : 'a list = []
```

```
[2; 7; 8 ]  
- : int list = [2; 7; 8]
```

```
2 :: (7 :: (8 :: [ ]))  
- : int list = [2; 7; 8]
```

```
[(2, 7) ; (4, 9) ; 5]
```

```
Error: This expression has type int but an expression  
was expected of type  
int * int
```


Functions on Lists

```
let rec length l =  
  match l with  
  [] -> 0  
  | hd :: tl -> 1 + length tl  
val length : 'a list -> int = <fun>
```

```
length [1; 2; 3] + length ["red"; "yellow"; "green"]  
:- int = 6
```

```
length ["red"; "yellow"; 3]
```

Higher Order Functions


- Functions are first class objects
 - Passed as parameters
 - Returned as results
- Practical examples
 - Google map/reduce

Map Function on Lists

- Apply function to every element of list

```
let rec map f arg = function
  [] -> []
  | hd :: tl -> f hd :: (map f tl)

val map : ('a -> 'b) -> 'a list -> 'b list = <fun>
```

`map (fun x -> x+1) [1;2;3]`  `[2,3,4]`

- Compare to Lisp

```
(define map
  (lambda (f xs)
    (if (eq? xs ()) ()
        (cons (f (car xs)) (map f (cdr xs))))
  )))
```

More Functions on Lists

- Append lists

```
let rec append l1 l2 =  
  match l1 with  
  | [] -> l2  
  | hd :: tl -> hd :: append (tl l2)
```

- Reverse a list


```
let rec reverse l = function  
  | [] -> []  
  | hd :: tl -> append (reverse tl) [hd]
```

- Questions

- How efficient is reverse?
- Can it be done with only one pass through list?

More Efficient Reverse

```
let rev list =  
  let rec aux acc = function  
    | [] -> acc  
    | h::t -> aux (h::acc) t in  
  aux [] list  
val rev : 'a list -> 'a list = <fun>
```



Currying

```
let plus (x, y) = x + y  
val plus : int * int -> int = fun
```

```
let plus (z : int * int) = match z with (x, y) -> x + y
```

```
let plus = fun (z : int * int) -> match z with (x, y) -> x + y
```

```
let plus x y = x + y  
val plus : int -> int -> int
```

```
let p1 = plus 5  
val p1 : int -> int = fun
```

```
let p2 = p1 7  
val p2 : int = 12
```

Functional Programming Languages

PL	types	evaluation	Side-effect
scheme	Weakly typed	Eager	yes
ML OCAML F#	Polymorphic strongly typed	Eager	References
Haskell	Polymorphic strongly typed	Lazy	None

Things to Notice

- Pure functions are easy to test

```
prop_RevRev 1 = reverse(reverse 1) == 1
```

- In an imperative or OO language, you have to
 - set up the state of the object and the external state it reads or writes
 - make the call
 - inspect the state of the object and the external state
 - perhaps copy part of the object or global state, so that you can use it in the post condition

Things to Notice

Types are everywhere.

```
reverse :: [w] -> [w]
```

- Usual static-typing panegyric omitted...
- In ML, **types express high-level design**, in the same way that UML diagrams do, with the advantage that the type signatures are machine-checked
- Types are (almost always) optional: type inference fills them in if you leave them out

Recommended ML Textbooks

- L. C. PAULSON: ML for the Working Programmer
- J. Ullman: Elements of ML Programming
- R. Harper: Programming in Standard ML

Recommended Ocaml Textbooks

- Xavier Leroy: The OCaml system release 4.02
 - Part I: Introduction
- Jason Hickey: Introduction to Objective Caml
- Yaron Minsky, Anil Madhavapeddy, Jason Hickey: Real World Ocaml

Summary

- Functional programs provide concise coding
- Compiled code compares with C code
- Successfully used in some commercial applications
 - F#, ERLANG, Jane Street
- Ideas used in imperative programs
- Good conceptual tool
- Less popular than imperative programs