Programming Language Concepts

Mooly Sagiv
msagiv@acm.org
Tuesday 11-13, Schriber 317

TA: Oded Padon
Email: odedp@mail.tau.ac.il

http://www.cs.tau.ac.il/~msagiv/courses/pl18.html

Inspired by Stanford John Mitchell CS'242

Prerequisites

- Software Project
- Computational models

Textbooks

- J. Mitchell. Concepts in Programming Languages
- B. Pierce. Types and Programming Languages
- Semantics with Applications by Flemming Nielson and Hanne Riis Nielson
- Real World Ocaml by Anil Madhavapeddy, Jason Hickey, and Yaron Minsky
- JavaScript: The Good Parts by Douglas Crockford

Course Grade

- 30% Assignments (5 assignments)
  - 2-3 person teams
- 70% Exam
  - Must pass exam

Goals

- Learn about cool programming languages
- Learn about useful programming languages
- Understand theoretical concepts in programming languages
- Become a better programmer in your own programming language
- Have fun

Course Goals (Cont)

- Programming Language Concepts
  - A language is a “conceptual universe” (Perlis)
    - Framework for problem-solving
    - Useful concepts and programming methods
  - Understand the languages you use, by comparison
  - Appreciate history, diversity of ideas in programming
  - Be prepared for new programming methods, paradigms, tools
- Critical thought
  - Identify properties of *language*, not syntax or sales pitch
- Language *and* implementation
  - Every convenience has its cost
    - Recognize the cost of presenting an abstract view of machine
    - Understand trade-offs in programming language design

Language goals and trade-offs



What's new in programming languages

- Commercial trend over past 5+ years
  - Increasing use of type-safe languages: Java, C#, Scala
  - Scripting languages, other languages for web applications JavaScript
- Teaching trends
  - Java replaced C as most common intro language
    - Less emphasis on how data, control represented in machine
- Research and development trends
  - Modularity
    - Java, C++: standardization of new module features
  - Program analysis
    - Automated error detection, programming env, compilation
  - Isolation and security
    - Sandboxing, language-based security, …
  - Web 2.0
    - Increasing client-side functionality, mashup isolation problems

1. Performance
2. Security
3. Productivity

New PL in Industry

PL	Company	Predecessor	Domain	Concepts
Go	Google	C	Systems	Channels Type Inference ML modules GC
Dart	Google	Javascript	Web	Types
Rust		C++	System Browser	Type Inference Ownership Linear Types
Hack	facebook	PHP	Social Network	Gradual Types

What's worth studying?

- Dominant languages and paradigms
  - Leading languages for general systems programming
  - Explosion of programming technologies for the web
- Important implementation ideas
- Performance challenges
  - Concurrency
- Design tradeoffs
- Concepts that research community is exploring for new programming languages and tools
- Formal methods in practice
  - Grammars
  - Semantics
  - Types and Type Systems

  …

Related Courses

- Compilers
- Semantics of programming languages
- Program analysis
- Model checking

The Fortran Programming Language

- FORmula TRANslating System
- Designed in early 50s by John Backus from IBM
  - Turing Award 1977
  - Responsible for Backus Naur Form (BNF)
- Intended for Mathematicians/Scientists
- Still in use



Lisp

- The second-oldest high-level programming language
- List Processing Language
- Designed by John McCarty 1958
  - Turing Award for Contributions to AI
- Influenced by Lambda Calculus
- Pioneered the ideas of tree data structures, automatic storage management, dynamic typing, conditionals, higher-order functions, recursion, and the self-hosting compiler

Lisp Design Flaw: Dynamic Scoping

```
procedure  p;
        var x: integer
        procedure  q ;
                begin { q }
                …
                x
                …
                end { q };
        procedure   r ;
        var x: integer
        begin { r }
        q ;
        end;  { r  }
begin { p }
        q ;
        r ;
end { p }
```

The Algol 60

- ALGOrithmic Language 1960
- Designed by Researchers from Europe/US
- Led by Peter Naur 2005 Turing Award
- Pioneered: Scopes, Procedures, Static Typing

Name	Year	Author	Country
X1 ALGOL 60	1960	Dijkstra and Zonneveld	Netherlands
Algol	1960	Irons	USA
Burroughs Algol	1961	Burroughs	USA
Case ALGOL	1961		USA
…	….	…	…

Algol Design Flaw: Power

- E ::= ID | NUM | E + E | E – E | E * E | E / E |
  E ** E

C Programming Language

- Statically typed, general purpose systems programming language
- Computational model reflects underlying machine
- Designed by Dennis Ritchie, ACM Turing Award for Unix
- (Initial) Simple and efficient one pass compiler
- Replaces assembly programming
- Widely available
- Became widespread

Simple C design Flaw

- Switch cases without breaks continue to the next case

```
switch (e) {
 case 1:  x = 1;
 case 2:  x = 4 ;
          break;
 default: x = 8;
}
```

Type Safety

- A programming language is type safe if every well typed program has no undefined semantics
- No runtime surprise
- Is C type safe?
- How about Java?

Breaking Safety in C

```
void foo(s) {
    char c[100];
    strcpy(c, s);
}
```

A Pathological C Program

```
a =  malloc(…) ;
b = a;
free (a);
c = malloc (…);
if  (b == c)  printf(“unexpected equality”);
```

Another Pathological C Program

```
union { int x;
          int *p;
        } mixed;
mixed.x = 1700 ;
free(mixed.p);
```

Conflicting Arrays with Pointers

- An array is treated as a pointer to first element (syntactic sugar)
- E1[E2] is equivalent to ptr dereference: E1[E2] == *((E1)+(E2))
- a[i] == i[a]
- Programmers can break the abstraction
- The language is not type safe
  - Even stack is exposed

Buffer Overrun Exploits

```
void foo (char *x) {
  char buf[2];
  strcpy(buf, x);
}
int main (int argc, char *argv[]) {
  foo(argv[1]);
}
```

source code

```
> ./a.out abracadabra
Segmentation fault
```

terminal



memory

Buffer Overrun Exploits

```
int check_authentication(char *password) {
 int auth_flag = 0;
 char password_buffer[16];

 strcpy(password_buffer, password);
 if(strcmp(password_buffer, "brillig") == 0) auth_flag = 1;
 if(strcmp(password_buffer, "outgrabe") == 0) auth_flag = 1;
 return auth_flag;
}
int main(int argc, char *argv[]) {
  if(check_authentication(argv[1])) {
    printf("\n-=-=-=-=-=-=-=-=-=-=-=-=-\n");
    printf("     Access Granted.\n");
    printf("-=-=-=-=-=-=-=-=-=-=-=-=-\n");  }
  else
    printf("\nAccess Denied.\n");
}
```

(source: "hacking – the art of exploitation, 2nd Ed")

Exploiting Buffer Overruns



AAAAAAAAAAAA

Something really bad happens

Summary C

- Unsafe
- Exposes the stack frame
  - Parameters are computed in reverse order
- Hard to generate efficient code
  - The compiler need to prove that the generated code is correct
  - Hard to utilize resources
- Ritchie quote
  - “C is quirky, flawed, and a tremendous success”

The Java Programming Language

- Designed by Sun 1991-95
- Statically typed and type safe
- Clean and Powerful libraries
- Clean references and arrays
- Object Oriented with single inheritance
- Interfaces with multiple inheritance
- Portable with JVM
- Effective JIT compilers
- Support for concurrency
- Useful for Internet

Java Critique

- Downcasting reduces the effectiveness of static type checking
  - Many of the interesting errors caught at runtime
    - Still better than C, C++
- Huge code blowouts
  - Hard to define domain specific knowledge
  - A lot of boilerplate code
  - Sometimes OO stands in our way
  - Generics only partially helps
  - Array subtype does not work

Scala

- Scala is an object-oriented and functional language which is completely interoperable with Java (.NET)
- Remove some of the more arcane constructs of these environments and adds instead:

  (1) a uniform object model,

  (2) pattern matching and higher-order functions,

  (3) novel ways to abstract and compose programs

The Kotlin Programming Language

- Combines OO and Functional Programming
- Interoperated with JVM
- Higher order programming
- Type inference
- Memory safety
- Officially supported in Android

The RUST programming language

- Motivated by Browser development
- Type safety & Efficiency with explicit memory managements
- Built on ownership types
  - Controls aliasing

ML programming language

- Statically typed, general-purpose programming language
  - “Meta-Language” of the LCF theorem proving system
- Designed in 1973
- Type safe, with formal semantics
- Compiled language, but intended for interactive use
- Combination of Lisp and Algol-like features
  - Expression-oriented
  - Higher-order functions
  - Garbage collection
  - Abstract data types
  - Module system
  - Exceptions
  - Encapsulated side-effects



Robin Milner, ACM Turing-Award for ML, LCF Theorem Prover, …

Haskell

- Haskell programming language is
  - Similar to ML: general-purpose, strongly typed, higher-order, functional, supports type inference, interactive and compiled use
  - Different from ML: lazy evaluation, purely functional core, rapidly evolving type system
- Designed by committee in 80's and 90's to unify research efforts in lazy languages
  - Haskell 1.0 in 1990, Haskell '98, Haskell' ongoing
  - "A History of Haskell: Being Lazy with Class" HOPL 3

Paul Hudak

John Hughes

Simon
Peyton Jones

Phil Wadler

Language Evolution



Many others: Algol 58, Algol W, Scheme, EL1, Mesa (PARC), Modula-2, Oberon, Modula-3, Fortran, Ada, Perl, Python, Ruby, C#, Javascript, F#, Scala, go

Most Research Languages



Successful Research Languages



C++, Java, Perl, Ruby



Haskell


Practitioners
Geeks
1,000,000
10,000
100
1
1990
1995
2000
2005
2010
"I'm already looking at coding problems and my mental perspective is now shifting back and forth between purely OO and more FP styled solutions"
(blog Mar 2007)
"Learning Haskell is a great way of training yourself to think functionally so you are ready to take full advantage of C# 3.0 when it comes out"
(blog Apr 2007)
The second life?

JavaScript History

- Developed by Brendan Eich at Netscape, 1995
  - Scripting language for Navigator 2
- Later standardized for browser compatibility
  - ECMAScript Edition 3 (aka JavaScript 1.5) -> ES5, …
- Related to Java in name only
  - Name was part of a marketing deal
- Various implementations available
  - Spidermonkey interactive shell interface
  - Rhino: http://www.mozilla.org/rhino/
  - Browser JavaScript consoles

Motivation for JavaScript

- Netscape, 1995
  - Netscape > 90% browser market share
  - Opportunity to do “HTML scripting language”
  - Brendan Eich

    “ I hacked the JS prototype in ~1 week in May
    And it showed! Mistakes were frozen early
    Rest of year spent embedding in browser” - ICFP talk, 2005
- Common uses of JavaScript have included:
  - Form validation
  - Page embellishments and special effects
  - Dynamic content manipulation
  - Web 2.0: functionality implemented on web client
    - Significant JavaScript applications: Gmail client, Google maps

Design goals

- Brendan Eich's 2005 ICFP talk
  - Make it easy to copy/paste snippets of code
  - Tolerate "minor" errors (missing semicolons)
  - Simplified onclick, onmousedown, etc., event handling, inspired by HyperCard
  - Pick a few hard-working, powerful primitives
    - First class functions for procedural abstraction
    - Objects everywhere, prototype-based
  - Leave all else out!

JavaScript design

- Functions based on Lisp/Scheme
  - first-class inline higher-order functions

    function (x) { return x+1; } ≡ λx. x+1
- Objects based on Smalltalk/Self
  - var pt = {x : 10, move : function(dx){this.x += dx}}
  - Functions are also objects
- Lots of secondary issues …
  - "In JavaScript, there is a beautiful, elegant, highly expressive language that is buried under a steaming pile of good intentions and blunders."

    Douglas Crockford

Programming Language Paradigms

- Imperative
  - Algol, PL1, Fortran, Pascal, Ada, Modula, and C
  - Closely related to “von Neumann” Computers
- Object-oriented
  - Simula, Smalltalk, Modula3, C++, Java, C#, Python
  - Data abstraction and ‘evolutionary’ form of program development
    - Class An implementation of an abstract data type (data+code)
    - Objects Instances of a class
    - Fields Data (structure fields)
    - Methods Code (procedures/functions with overloading)
    - Inheritance Refining the functionality of a class with different fields and methods
- Functional
  - Lisp, Scheme, ML, Miranda, Hope, Haskel, OCaml, F#
- Functional/Imperative
  - Rubby
- Logic Programming
  - Prolog

Other Languages

- Hardware description languages
  - VHDL
  - The program describes Hardware components
  - The compiler generates hardware layouts
- Scripting languages
  - Shell, C-shell, REXX, Perl
  - Include primitives constructs from the current software environment
- Web/Internet
  - HTML, Telescript, JAVA, Javascript
- Graphics and Text processing
  TeX, LaTeX, postscript
  - The compiler generates page layouts
- Domain Specific
  - SQL
  - yacc/lex/bison/awk
- Intermediate-languages
  - P-Code, Java bytecode, IDL, CLR

What make PL successful?

- ~~Beautiful syntax~~
- Good design
- Good productivity
- Good performance
- Safety
- Poretability
- Good environment
  - Compiler
  - Interpreter
- Influential designers
- Solves a need
  - C efficient system programming
  - Javascript Browsers

Instructor's Background

- First programming language Pascal
- Soon switched to C (unix)
  - Efficient low level programming was the key
  - Small programs did amazing things
- Led a big project was written in common lisp
  - Semi-automatically port low level IBM OS code between 16 and 32 bit architectures
- The programming setting has dramatically changed:
  - Object oriented
  - Garbage collection
  - Huge programs
  - Performance depends on many issues
  - Productivity is sometimes more importance than performance
  - Software reuse is a key

Other Lessons Learned

- Futuristic ideas may be useful problem-solving methods now, and may be part of languages you use in the future
  - Examples
    - Recursion
    - Object orientation
    - Garbage collection
    - High level concurrency support
    - Higher order functions
    - Pattern matching

More examples of practical use of futuristic ideas

- Function passing: pass functions in C by building your own closures, as in STL “function objects”
- Blocks are a nonstandard extension added by Apple to C that uses a lambda expression like syntax to create closures
- Continuations: used in web languages for workflow processing
- Monads: programming technique from functional programming
- Concurrency: atomicity instead of locking
- Decorators in Python to dynamically change the behavior of a function
- Mapreduce for distributed programming

Unique Aspects of PL

- The ability to formally define the syntax of a programming language
- The ability to formally define the semantics of the programming language (operational, axiomatic, denotational)
- The ability to prove that a compiler/interpreter is correct
- Useful concepts: Closures, Monads, Continuations, …

Theoretical Topics Covered

- Syntax of PLs
- Semantics of PLs
  - Operational Semantics
  - λ calculus
- Program Verification
  - Floyd-Hoare style verification
- Types

Languages Covered

- Python (Used but not taught)
- ML (Ocaml)
- Javascript
- Scala
- Go & Cloud computing

Interesting Topics not covered

- Concurrency
- Modularity
- Object orientation
- Aspect oriented
- Garbage collection
- Virtual Machines
- Compilation techniques

Part 1: Principles

Date	Lecture	Targil	Assignment
5/3	Overview	No Targil	
12/3	Principles of Induction	Principles of Induction	Ex. 1 – Induction
19/3	Natural Operational Semantics	=2	Ex. 2 – Semantics
9/4	Small Step Operational Semantics (SOS)	=	
16/4	Lambda Calculus	=	
23/4	Typed Lambda Calculus	=	Ex3---– Lambda Calculus
30/4		More lambda calculus	

Part 2: Applications

Date	Lecture	Targil	Assignment
7/5	Basic ML	More lambda calculus	Ex 4– ML Project
14/5	Advanced ML	ML	
21/5	Type Inference	ML	
28/5	Basic Javascript	Type Inference	Ex. 5– JavaScript Project
4/6	Advanced Javascript	Javascipt	
Exam Rehersal	Exam Rehersal	Javascript	

Summary

- Learn cool programming languages
- Learn useful programming language concepts
- But be prepared to program
  - Public domain software