

# Foundation of Cryptography (0368-4162-01), Lecture 4 Pseudorandom Functions

Iftach Haitner, Tel Aviv University

November 29, 2011

## Section 1

# Function Families

# function families

- 1  $\mathcal{F} = \{\mathcal{F}_n\}_{n \in \mathbb{N}}$ , where  $\mathcal{F}_n = \{f: \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$
- 2 We write  $\mathcal{F} = \{\mathcal{F}_n: \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$
- 3 If  $m(n) = \ell(n) = n$ , we omit it from the notation
- 4 We identify function with their description
- 5 The rv  $F_n$  is uniformly distributed over  $\mathcal{F}_n$

## efficient function families

### Definition 1 (efficient function family)

An ensemble of function families  $\mathcal{F} = \{\mathcal{F}_n\}_{n \in \mathbb{N}}$  is efficient, if the following hold:

**Samplable.**  $\mathcal{F}$  is samplable in polynomial-time: there exists a PPT that given  $1^n$ , outputs (the description of) a uniform element in  $\mathcal{F}_n$ .

**Efficient.** There exists a polynomial-time algorithm that given  $x \in \{0, 1\}^n$  and (a description of)  $f \in \mathcal{F}_n$ , outputs  $f(x)$ .

## random functions

### Definition 2 (random functions)

For  $m, \ell \in \mathbb{N}$ , we let  $\Pi_{m,\ell}$  consist of all functions from  $\{0, 1\}^m$  to  $\{0, 1\}^\ell$ .

- It takes  $2^m \cdot \ell$  bits to describe an element inside  $\Pi_{m,\ell}$ .
- We sometimes think of  $\pi \in \Pi_{m,\ell}$  as a random string of length  $2^m \cdot \ell$ .
- $\Pi_n = \Pi_{n,n}$

## pseudorandom functions

### Definition 3 (pseudorandom functions)

A function family ensemble  $\mathcal{F} = \{\mathcal{F}_n : \{0, 1\}^{m(n)} \mapsto \{0, 1\}^{\ell(n)}\}$  is pseudorandom, if

$$\left| \Pr[D^{\mathcal{F}_n}(1^n) = 1] - \Pr[D^{\Pi_{m(n), \ell(n)}}(1^n) = 1] \right| = \text{neg}(n),$$

for any oracle-aided PPT  $D$ .

- 1 Suffices to consider  $\ell(n) = n$
- 2 Easy to construct (with no assumption) for  $m(n) = \log n$  and  $\ell \in \text{poly}$
- 3 PRF easily imply a PRG
- 4 Pseudorandom permutations (PRPs)

## Section 2

# PRF from OWF

## the construction

### Construction 4

Let  $g: \{0, 1\}^n \mapsto \{0, 1\}^{2n}$ . Let  $g_0(s) = g(s)_{1,\dots,n}$  and  $g_1(s) = g(s)_{n+1,\dots,2n}$ . For  $s$  and  $x \in \{0, 1\}^*$ , let  $f_s$  be defined as

$$f_s(x) = g_{x_n}(\dots(g_{x_2}(g_{x_1}(s))))$$

Let  $\mathcal{F}_n = \{f_s : s \in \{0, 1\}^n\}$  and  $\mathcal{F} = \{\mathcal{F}_n\}$ .

If  $g$  is an efficient function, then  $\mathcal{F}$  is an efficient family.

### Theorem 5 (Goldreich-Goldwasser-Micali)

*If  $g$  is a PRG then  $\mathcal{F}$  is a PRF.*

### Corollary 6

*OWFs imply PRFs.*



# Proof Idea

- Easy to prove for input of length 2.  
 Observation:  $D = (g(g_0(U_n)), g(g_1(U_n)))$  is pseudorandom:  
 Proof:  $D' = (g(U_n^{(0)}), g(U_n^{(1)})) \approx_c U_{4n}$  and  $D \approx_c D'$ .
- Hence we can handle input of length 2
- Extend to longer inputs?
- We show that an efficient sample from the *truth table* of  $f \leftarrow \mathcal{F}_n$ , is computationally indistinguishable from that of  $\pi \leftarrow \Pi_{n,n}$ .

## The Actual Proof

Assume  $\exists$  PPT  $D$ ,  $p \in \text{poly}$  and infinite set  $\mathcal{I} \subseteq \mathbb{N}$  with

$$\left| \Pr[D^{F_n}(1^n) = 1] - \Pr[D^{\Pi_n}(1^n) = 1] \right| \geq \frac{1}{p(n)}, \quad (1)$$

for any  $n \in \mathcal{I}$ , and fix  $n \in \mathbb{N}$

Let  $t = t(n) \in \text{poly}$  be a bound on the running time of  $D(1^n)$ .

We use  $D$  to construct a PPT  $D'$  such that

$$\left| \Pr[D'(U_{2n}^t) = 1] - \Pr[D'(g(U_n)^t) = 1] \right| > \frac{1}{np(n)},$$

where  $U_{2n}^t = U_{2n}^{(1)}, \dots, U_{2n}^{(t(n))}$  and

$g(U_n)^t = g(U_n^{(1)}), \dots, g(U_n^{(t(n))})$ .

## The Hybrid

Let  $g$  and  $f$  be as in the definition of  $\mathcal{F}_n$

### Definition 7

For  $k \in \{0, \dots, n\}$ , let  $\mathcal{H}_k = \{h_\pi : \{0, 1\}^n \mapsto \{0, 1\}^n : \pi \in \Pi_{k,n}\}$ , where  $h_\pi(x) = f_{\pi(x_1, \dots, k)}(x_{k+1}, \dots, n)$

- $f_y(\lambda) = y$
  - $\Pi_{0,n} = \{0, 1\}^n$ , and for  $\pi \in \Pi_{0,n}$  let  $\pi(\lambda) = \pi$
- 
- Note that  $\mathcal{H}_0 = \mathcal{F}_n$  and  $\mathcal{H}_n = \Pi_{n,n}$
  - Can we emulate  $\mathcal{H}_k$ ? We emulate if from D's point of view.
  - We present efficient "function family"  $\mathcal{O}_k = \{O_k^{s^1, \dots, s^t}\}$  s.t.
    - $D^{O_k^{ut}}(1^n) \equiv D^{H_k}(1^n)$
    - $D^{O_k^{g(U_n)^t}}(1^n) \equiv D^{H_{k-1}}(1^n)$
 for any  $k \in [n]$ , where  $H_k$  is uniformly sampled from  $\mathcal{H}_k$ .

## Completing the Proof

Let  $D'(y)$  return  $D^{O_k^y}(1^n)$  for  $k$  uniformly chosen in  $[n]$ . Hence

$$\begin{aligned}
 & \left| \Pr[D'(U_{2n}^t) = 1] - \Pr[D'(g(U_n)^t) = 1] \right| \\
 &= \left| \sum_{k=1}^n \frac{1}{n} \cdot \Pr[D^{O_k^{U_{2n}^t}}(1^n) = 1] - \sum_{k=1}^n \frac{1}{n} \cdot \Pr[D^{O_k^{g(U_n)^t}}(1^n) = 1] \right| \\
 &= \frac{1}{n} \left| \sum_{k=1}^n \Pr[D^{H_k}(1^n) = 1] - \sum_{k=1}^n \Pr[D^{H_{k-1}}(1^n) = 1] \right| \\
 &= \frac{1}{n} \left| \Pr[D^{H_n}(1^n) = 1] - \Pr[D^{H_0}(1^n) = 1] \right| = \frac{1}{np(n)} \square
 \end{aligned}$$

## The family $\mathcal{O}_k$

$$\mathcal{O}_k := \{O_k^{s^1, \dots, s^t} : s^1, \dots, s^t \in \{0, 1\}^n \times \{0, 1\}^n\}.$$

### Algorithm 8 ( $O_k^{s^1, \dots, s^t}$ )

On the  $i$ 'th query  $x^i \in \{0, 1\}^n$ :

- 1 If  $x^\ell$  with  $x_{1, \dots, k-1}^\ell = x_{1, \dots, k-1}^i$  was previously asked, set  $z = s_{x_k}^\ell$  (where  $\ell$  is the minimal such index). Otherwise, set  $z = s_{x_k}^i$ .
- 2 Return  $f_z(x_{k+1, \dots, n})$

$\mathcal{O}_k$  is *stateful*.

We need to prove that  $D^{O_k^{U_{2n}^t}}(1^n) \equiv D^{H_k}(1^n)$  and

$D^{O_k^{g(U_n)^t}}(1^n) \equiv D^{H_{k-1}}(1^n)$ .

$$D^{O_k^{U_{2n}^t}}(1^n) \equiv D^{H_k}(1^n)$$

## Proposition 9

For any  $\ell, m \in \mathbb{N}$  and any algorithm  $A$ , it holds that  $A^{\Pi_{\ell,m}} \equiv A^{B_{\ell,m}}$ , where the stateful random algorithm  $B_{\ell,m}$  answers identical queries with the same answer, and answers new queries with a random string of length  $m$ .

Proof? Does the above trivialize the whole issue of PRF?  
 Let  $\tilde{O}_k$  be the variant that returns  $z$  (and not  $f_z(x_{k+1}, \dots, n)$  as in Algorithm 8) and let  $\tilde{D}_k$  be the algorithm that implements  $D$  using  $\tilde{O}_k$  (by computing  $f_z(x_{k+1}, \dots, n)$  by itself).  
 By Proposition 9

$$D^{O_k^{U_{2n}^t}}(1^n) \equiv \tilde{D}_k^{\tilde{O}_k^{U_{2n}^t}}(1^n) \equiv \tilde{D}_k^{\pi_{k,n}}(1^n) \equiv D^{H_k}(1^n) \quad (2)$$

## Actual Proof

$$D_{O_k^{g(U_n)^t}}(1^n) \equiv D_{H_{k-1}}(1^n)$$

It holds that

$$D_{O_k^{g(U_n)^t}}(1^n) \equiv D_{O_{k-1}^{U_{2n}^t}}(1^n) \quad (3)$$

Hence, by Equation (2)

$$D_{O_k^{g(U_n)^t}}(1^n) \equiv D_{H_{k-1}}(1^n)$$

## Section 3

# PRP from PRF



## Pseudorandom permutations

Let  $\tilde{\Pi}_n$  be the set of all permutations over  $\{0, 1\}^n$ .

### Definition 10 (pseudorandom permutations)

A permutation ensemble  $\mathcal{F} = \{\mathcal{F}_n : \{0, 1\}^n \mapsto \{0, 1\}^n\}$  is a pseudorandom permutation, if

$$\left| \Pr[D^{\mathcal{F}_n}(1^n) = 1] - \Pr[D^{\tilde{\Pi}_n}(1^n) = 1] \right| = \text{neg}(n), \quad (4)$$

for any oracle-aided PPT  $D$

- Equation (4) holds for any PRF

## Construction

### Construction 11

Given a function family  $\mathcal{F} = \{\mathcal{F}_n: \{0, 1\}^n \mapsto \{0, 1\}^n\}$ , let  $\text{LR}(\mathcal{F}) = \{\text{LR}(\mathcal{F}_n): \{0, 1\}^{2n} \mapsto \{0, 1\}^{2n}\}$ , where  $\text{LR}(\mathcal{F}_n) = \{\text{LR}(f): f \in \mathcal{F}_n\}$  and  $\text{LR}(f)(\ell, r) = (r, f(r) \oplus \ell)$ . For  $i \in \mathbb{N}$ , let  $\text{LR}^i(\mathcal{F})$  be the  $i$ 'th iteration of  $\text{LR}(\mathcal{F})$ .

$\text{LR}(\mathcal{F})$  is always a permutation family, and is efficient if  $\mathcal{F}$  is.

### Theorem 12 (Luby-Rackoff)

*Assuming that  $\mathcal{F}$  is a PRF, then  $\text{LR}^3(\mathcal{F})$  is a PRP*

It suffices to prove the the following holds for any  $n \in \mathbb{N}$  (why?)

### Claim 13

$|\Pr[D^{\text{LR}^3(\Pi_n)}(1^n) = 1] - \Pr[D^{\tilde{\Pi}_{2n}}(1^n) = 1]| \leq \frac{4 \cdot q^2}{2^n}$ ,  
for any  $q$ -query algorithm  $D$ .

## Section 4

# Applications

## general paradigm

Design a scheme assuming that you have random functions, and the realize them using PRF.

# Private-key Encryption

## Construction 14 (PRF-based encryption)

Given an (efficient) PRF  $\mathcal{F}$ , define the encryption scheme  $(\text{Gen}, E, D)$  se:

**Key generation**  $\text{Gen}(1^n)$  returns  $k \leftarrow \mathcal{F}_n$

**Encryption**  $E_k(m)$  returns  $U_n, k(U_n) \oplus m$

**Decryption**  $D_k(c = (c_1, c_n))$  returns  $k(c_1) \oplus c_2$

- Advantages over the PRG based scheme?
- Proof of security