## Problem #59

Originator: M. Kurihara, M. Krishna Rao Date: June 1993

Summary: What are sufficient condition for the modularity of confluence?

One of the earliest results established on modularity of combinations of termrewriting systems is the confluence of the union of two confluent systems which share no symbols [Toy87]; if symbols are shared modularity is not preserved by union [KO92]. Some sufficient conditions for modularity of confluence of constructor-sharing systems that are terminating have been found [KO92][MT91]. Are there interesting sufficient conditions that are independent of termination?

## Remark

Left-linearity is a sufficient condition, as shown long ago in [RV80]. In [Ohl94], it is established that confluence is modular in the presence of the weak normalization property. (This result has been extended in [Rao95, Rao98] for hierarchical combinations.) In [Der97], some results are given when only one of the systems is terminating.

There are other sufficient conditions for modularity of confluence that do not require termination of the combined system even when function symbols are shared. One set of conditions, viz., "persistence", "relative termination", and *lr*-disjointness, is given in [Ver95, Ver96]. An abstract confluence theorem without termination is given in [Ges90].

## Bibliography

- [Der97] Nachum Dershowitz. Innocuous constructor-sharing combinations. In Hubert Comon, editor, 8th International Conference on Rewriting Techniques and Applications, volume 1232 of Lecture Notes in Computer Science, pages 202–216, Barcelona, Spain, June 1997. Springer-Verlag.
- [Ges90] Alfons Geser. Relative Termination. PhD thesis, qUniversität Passau, Passau, Germany, 1990.
- [KO92] M. Kurihara and A. Ohuchi. Modularity of simple termination of term rewriting systems with shared constructors. *Theoretical Computer Science*, 103:273–282, 1992.
- [MT91] Aart Middeldorp and Yoshihito Toyama. Completeness of combinations of constructor systems. In Ronald. V. Book, editor, 4th International Conference on Rewriting Techniques and Applications, volume 488 of Lecture Notes in Computer Science, pages 174–187, Como, Italy, April 1991. Springer-Verlag.
- [Ohl94] Enno Ohlebusch. On the modularity of confluence of constructorsharing term rewriting systems. In 19th Colloquium on Trees in Algebra and Programming, volume 787 of LNCS, pages 261–275. Springer-Verlag, 1994.
- [Rao95] M.R.K. Krishna Rao. Semi-completeness of hierarchical and superhierarchical combinations of term rewriting systems. In *Theory* and practice of Software Development, TAPSOFT'95, volume 915 of Lecture Notes in Computer Science, pages 379–393. Springer-Verlag, 1995.
- [Rao98] M.R.K. Krishna Rao. Modular aspects of term graph rewriting. *Theoretical Computer Science*, 208(1–2):59–86, 1998. Special issue on Rewriting Techniques and Applications conference RTA'96.

- [RV80] Jean-Claude Raoult and Jean Vuillemin. Operational and semantic equivalence between recursive programs. J. of the Association for Computing Machinery, 27(4):772–796, October 1980.
- [Toy87] Yoshihito Toyama. On the Church-Rosser property for the direct sum of term rewriting systems. J. of the Association for Computing Machinery, 34(1):128–143, January 1987.
- [Ver95] Rakesh M. Verma. Unique normal forms and confluence for rewrite systems. In Int'l Joint Conf. on Artificial Intelligence, pages 362– 368, 1995.
- [Ver96] Rakesh M. Verma. Unicity and modularity of confluence for term rewriting systems. Technical report, University of Houston, 1996.

January 22, 2014

http://www.cs.tau.ac.il/~nachumd/rtaloop/